



**Australian Government**  
**Department of Health and Aged Care**  
Therapeutic Goods Administration

## Public Summary

<b>Summary for ARTG Entry:</b>	127006	Active Elements Active 3.2 Tablets
<b>ARTG entry for</b>	Medicine Listed	
<b>Sponsor</b>	Active Elements Pty Ltd	
<b>Postal Address</b>	50 Fairbairn Avenue, MOUNT MARTHA, VIC, 3934 Australia	
<b>ARTG Start Date</b>	18/04/2006	
<b>Product Category</b>	Medicine	
<b>Status</b>	Active	
<b>Approval Area</b>	Listed Medicines	

### Conditions

Colouring agents used in listed medicine for ingestion, other than those listed for export only under section 25 of the Act, shall be only those included in the list of 'Colourings permitted in medicines for oral use'.

The sponsor shall keep records relating to this listed medicine as are necessary to: (a) Expedite recall if necessary of any batch of the listed medicine, (b) Identify the manufacturer(s) of each batch of the listed medicine. Where any part of or step in manufacture in Australia of the listed medicine is sub-contracted to a third party who is not the sponsor, copies of relevant Good Manufacturing Practice agreements relation to such manufacture shall be kept.

The sponsor shall retain records of the distribution of the listed medicine for a period of five years and shall provide the records or copies of the records to the Complementary Medicines Branch, Therapeutic Goods Administration, upon request.

Where a listed medicine is distributed overseas as well as in Australia, product recall or any other regulatory action taken in relation to the medicine outside Australia which has or may have relevance to the quality, safety or efficacy of the goods distributed in Australia, must be notified to the National Manager Therapeutic Goods Administration, immediately the action or information is known to the sponsor.

### Products

#### 1 . Active Elements Active 3.2 Tablets

Product Type	Single Medicine Product	Effective Date	4/03/2021
--------------	-------------------------	----------------	-----------

### Permitted Indications

- Traditionally used in Homoeopathic medicine to relieve itchy ears
- Traditionally used in Homoeopathic medicine to relieve weariness/tiredness/fatigue/feeling of weakness
- Traditionally used in Homoeopathic medicine to relieve eye soreness
- Maintain/support general health and wellbeing
- Traditionally used in Homoeopathic medicine to decrease/reduce/relieve mild joint aches and pains
- Traditionally used in Homoeopathic medicine to decrease/reduce/relieve colic (wind/gas pain)
- Traditionally used in Homoeopathic medicine to decrease/reduce/relieve flatulence/carminative
- Traditionally used in Homoeopathic medicine to decrease/reduce/relieve abdominal spasm
- Traditionally used in Homoeopathic medicine to decrease/reduce/relieve symptoms of indigestion/dyspepsia
- Traditionally used in Homoeopathic medicine to relieve digestive discomfort
- Traditionally used in Homoeopathic medicine to relieve digestive discomfort
- Traditionally used in Homoeopathic medicine to decrease/reduce/relieve muscle cramps
- Traditionally used in Homoeopathic medicine to helps decrease/reduce/relieve mild muscle spasms/twitches
- Traditionally used in Homoeopathic medicine to decrease/reduce/relieve mild nerve pain/neuralgia
- Traditionally used in Homoeopathic medicine to decrease/reduce/relieve menstrual spasms/cramps
- Traditionally used in Homoeopathic medicine to decrease/reduce/relieve menstruation pain/dysmenorrhoea
- Traditionally used in Homoeopathic medicine to decrease/reduce/relieve morning sickness
- Traditionally used in Homoeopathic medicine to decrease/reduce/relieve bronchial mucous congestion
- Traditionally used in Homoeopathic medicine to loosen chest phlegm
- Traditionally used in Homoeopathic medicine to loosen respiratory tract mucous
- Traditionally used in Homoeopathic medicine to decrease/reduce/relieve symptoms of dandruff
- Traditionally used in Homoeopathic medicine to decrease/reduce/relieve symptoms of mild eczema/dermatitis
- Traditionally used in Homoeopathic medicine to decrease/reduce/relieve symptoms of mild psoriasis
- Traditionally used in Homoeopathic medicine to relieve urinary frequency

### Indication Requirements

Product presentation must not imply or refer to serious forms of respiratory disorders/diseases, such as: asthma, pneumonia, COAD, COPD, influenza.

Public Summary



**Australian Government**  
**Department of Health and Aged Care**  
 Therapeutic Goods Administration

Label statement: If symptoms persist, talk to your health professional.  
 Product presentation must not imply or refer to serious musculoskeletal or neurological conditions.  
 Product presentation must not imply or refer to gastro oesophageal reflux disease.  
 Product presentation must only refer to mild joint symptoms.  
 Product presentation must not imply or refer to severe morning sickness such as hyperemesis gravidarum  
 Product presentation must only refer to mild psoriasis  
 Product presentation must only refer to mild nerve pain/neuralgia.  
 Product presentation must not imply or refer to bone disease or disorders e.g. rheumatoid arthritis, juvenile arthritis, debilitating osteoarthritis, osteoporosis.  
 Label statement: Adults only, OR Not to be used in children under 2 years of age without medical advice (or words to that effect).  
 Label statement: Advise your doctor of any medicine you take during pregnancy, particularly in your first trimester.  
 Product presentation must not imply or refer to chronic fatigue syndrome.  
 Label statement: If symptoms persist or worsen talk to your medical practitioner.  
 Product presentation must only refer to mild eczema.

**Standard Indications**

No Standard Indications included on Record

**Specific Indications**

No Specific Indications included on Record

**Warnings**

If coughing persists consult your doctor (or a healthcare professional) (or words to that effect).  
 If symptoms persist consult your healthcare practitioner (or words to that effect).  
 Contains homoeopathic ingredients.  
 Adults only. OR Not to be used in children under two years of age without medical advice (or words to that effect).  
 Adults only. OR Not to be used in children under two years of age without medical advice (or words to that effect).

**Additional Product information**

**Pack Size/Poison information**

<b>Pack Size</b>	<b>Poison Schedule</b>
------------------	------------------------

**Components**

**1 . Formulation 1**

<b>Dosage Form</b>	Tablet, uncoated
<b>Route of Administration</b>	Oral

**Visual Identification**

**Active Ingredients**

<b>dibasic sodium phosphate</b>	<b>250 mg</b>
Equivalent: sodium	80.97 mg
<b>dibasic sodium phosphate dodecahydrate (Homeopathic)</b>	<b>5 microgram</b>
<b>magnesium phosphate pentahydrate (Homeopathic)</b>	<b>5 microgram</b>
<b>magnesium phosphate pentahydrate</b>	<b>100 mg</b>
Equivalent: magnesium	20.66 mg
<b>potassium sulfate</b>	<b>60 mg</b>
Equivalent: potassium	26.92 mg
<b>potassium sulfate (Homeopathic)</b>	<b>5 microgram</b>

**Other Ingredients (Excipients)**

**Acacia**  
**calcium phosphate**  
**colloidal anhydrous silica**  
**inulin**  
**magnesium stearate**  
**microcrystalline cellulose**

Public Summary



**Australian Government**

**Department of Health and Aged Care**

Therapeutic Goods Administration

**soy polysaccharide**

**tapioca starch**

---

© Commonwealth of Australia. This work is copyright. You are not permitted to re-transmit, distribute or commercialise the material without obtaining prior written approval from the Commonwealth. Further details can be found at <http://www.tga.gov.au/about/website-copyright.htm>.

Public Summary