



Australian Government
Department of Health and Aged Care
 Therapeutic Goods Administration

Public Summary

Summary for ARTG Entry:	319772	ElementAll Diet
ARTG entry for	Medicine Listed	
Sponsor	Factors Group Australia Pty Ltd	
Postal Address	Unit B 10-16 South Street, Rydalmere, NSW, 2116 Australia	
ARTG Start Date	5/07/2019	
Product Category	Medicine	
Status	Active	
Approval Area	Listed Medicines	

Conditions

Colouring agents used in listed medicine for ingestion, other than those listed for export only under section 25 of the Act, shall be only those included in the list of 'Colourings permitted in medicines for oral use'.

The sponsor shall keep records relating to this listed medicine as are necessary to: (a) Expedite recall if necessary of any batch of the listed medicine, (b) Identify the manufacturer(s) of each batch of the listed medicine. Where any part of or step in manufacture in Australia of the listed medicine is sub-contracted to a third party who is not the sponsor, copies of relevant Good Manufacturing Practice agreements relation to such manufacture shall be kept.

The sponsor shall retain records of the distribution of the listed medicine for a period of five years and shall provide the records or copies of the records to the Complementary Medicines Branch, Therapeutic Goods Administration, upon request.

The sponsor of the listed medicine must not, by any means, intentionally or recklessly advertise the medicine for an indication other than those accepted in relation to the inclusion of the medicine in the Register.

All reports of adverse reactions or similar experiences associated with the use or administration of the listed medicine shall be notified to the Head, Office of Product Review, Therapeutic Goods Administration, as soon as practicable after the sponsor of the goods becomes aware of those reports. Sponsors of listed medicines must retain records of such reports for a period of not less than 18 months from the day the Head, Office of Product Review is notified of the report or reports.

The sponsor shall not supply the listed medicine after the expiry date of the goods.

Where a listed medicine is distributed overseas as well as in Australia, product recall or any other regulatory action taken in relation to the medicine outside Australia which has or may have relevance to the quality, safety or efficacy of the goods distributed in Australia, must be notified to the National Manager Therapeutic Goods Administration, immediately the action or information is known to the sponsor.

Products

1 . ElementAll Diet

Product Type	Single Medicine Product	Effective Date	5/07/2019
--------------	-------------------------	----------------	-----------

Permitted Indications

- Antioxidant/Reduce free radicals formed in the body
- Aids/assists natural body cleansing/detoxification processes
- Maintain/support natural cleansing/detoxification processes of the gastrointestinal system/gut
- Maintain/support energy levels
- Maintain/support body metabolism/metabolic rate
- Maintain/support body metabolism/metabolic rate
- Relieve weariness/tiredness/fatigue/feeling of weakness
- Maintain/support body electrolyte balance
- Maintain/support healthy growth and development
- Maintain/support body mucous membrane health
- Anti-inflammatory/relieve inflammation
- Aid/assist/helps connective tissue production/formation
- Maintain/support body tissue repair/regeneration
- Maintain/support body tissue repair/regeneration
- Helps enhance/promote body tissue repair/regeneration
- Aids/assists healthy bone development/growth/building
- Vitamin D helps calcium absorption (or words of like intent) and a diet deficient in calcium can lead to osteoporosis in later life
- Helps maintain/supports healthy joint cartilage growth/development/production
- Aid/assist healthy red blood cell production

Public Summary



Australian Government
Department of Health and Aged Care
Therapeutic Goods Administration

Maintain/support red blood cell health
Helps maintain/support healthy blood sugar/glucose
Maintain/support healthy thyroid gland function
Maintain/support healthy thyroid hormones
Aid/assist thyroid hormone production
Maintain/support healthy appetite
Enhance/improve/promote/increase bowel regularity
Maintain/support healthy bowel/colon function
Decrease/reduce/relieve flatulence/carminative
Maintain/support small intestine health
Maintain/support intestinal health
Maintain/support healthy small intestine function
Maintain/support healthy digestive system function
Maintain/support healthy digestion
Aid/assist/helps digestion of fats/fatty acids/triglycerides/lipid
Aid/assist digestion of glucose/sugar/carbohydrates
Aid/assist/helps digestion of (state nutrient)
Helps restore good/beneficial/friendly intestinal/gut/bowel flora
Helps restore good/beneficial/friendly intestinal/gut/bowel flora
Helps enhance/improve/promote/increase healthy digestive system flora/good bacteria growth
Maintain/support gastrointestinal system health
Aids/assists repair of gastrointestinal/gut wall lining
Helps reduce occurrence of abdominal bloating
Decrease/reduce/relieve symptoms of indigestion/dyspepsia
Relieve digestive discomfort
Decrease/reduce/relieve symptoms of nervous indigestion
Maintain/support immune system health
Maintain/support healthy immune system function
Helps stimulate a healthy immune system response
Helps stimulate a healthy immune system response
Maintain/support muscle function
Aid/assist/helps glucose/sugar/carbohydrate metabolism
Aid/assist/helps glucose/sugar/carbohydrate metabolism
Helps enhance/promote/increase absorption of dietary (state vitamin/mineral/nutrient)
Helps prevent dietary (state vitamin/mineral/nutrient) deficiency
Helps prevent dietary (state vitamin/mineral/nutrient) deficiency
Aid/assist/helps metabolism of (state vitamin/mineral/nutrient)
Aid/assist/helps metabolism of (state vitamin/mineral/nutrient)
Maintain/support (state vitamin/mineral) within normal range
Maintain/support cognitive function/mental function
Maintain/support reproductive system health

Indication Requirements

Product presentation must not imply or refer to chronic fatigue syndrome.

If product is indicated for supplementation, Label statement: [Vitamins/minerals/nutrients/dietary supplements] can only be of assistance if dietary intake is inadequate OR [Vitamins/minerals/nutrients/dietary supplements] should not replace a balanced diet (or words to that effect).

Product presentation must not imply or refer to lowering or raising blood sugar/glucose levels from outside of the normal healthy range.

Product presentation must not imply or refer to serious immunological diseases.

Label statement: If symptoms persist, talk to your health professional.

Product presentation must only refer to detoxification in relation to natural body processes.

Label statement: [Vitamins/minerals/nutrients/dietary supplements] can only be of assistance if dietary intake is inadequate OR [Vitamins/minerals/nutrients/dietary supplements] should not replace a balanced diet (or words to that effect).

Product presentation must not imply or refer to gastro oesophageal reflux disease.

Product presentation must not imply or refer to lowering blood lipids, blood fats and triglycerides.

Product presentation must not refer to or imply weight loss.



Australian Government
Department of Health and Aged Care
 Therapeutic Goods Administration

Label statement: Do not use when abdominal pain, nausea or vomiting are present or if you develop diarrhoea. If you are pregnant or breastfeeding - seek the advice of a healthcare professional before taking this product (or words to that effect).

Product presentation must not imply or refer to disease in any body organ, in particular the kidney or liver.

Product presentation must not imply or refer to serious cardiovascular conditions.

Product presentation must not imply or refer to drugs/alcohol.

If product is indicated for weight loss, label statement: When used in conjunction with a program of reduced intake of dietary calories and increased physical activity.

Product presentation must not imply or refer to bone disease or disorders e.g. rheumatoid arthritis, juvenile arthritis, debilitating osteoarthritis, osteoporosis. Note: this requirement is not intended to apply where the indications referring to osteoporosis specified in column 2 of Table 2 of this instrument are also used.

Product presentation must not imply or refer to any thyroid related diseases.

Label statement: Drink plenty of water (or words to that effect).

Label statement: When used in conjunction with a program of reduced intake of dietary calories and increased physical activity.

Product presentation must not imply or refer to mental illnesses, disorders or conditions.

Product presentation must not imply or refer to any form of arthritis or osteoarthritis unless qualified as mild.

Product presentation must not imply or refer to eating disorders.

Product presentation must not imply or refer to infertility.

Label statement for stimulant laxatives: Prolonged use may cause serious bowel problems.

Indication only for use for medicines that contain vitamin D as an active ingredient. The medicines may only contain a maximum recommended daily dose of 25 micrograms or less of vitamin D and as a minimum, also contain at least 25% of the RDI in the recommended daily dose of vitamin D.

Standard Indications

No Standard Indications included on Record

Specific Indications

No Specific Indications included on Record

Warnings

Do not use if pregnant or likely to become pregnant (or words to that effect)

This medicine contains selenium which is toxic in high doses. A daily dose of 150 micrograms for adults of selenium from dietary supplements should not be exceeded.

(If medicine contains one sugar) contains [insert name of sugar] OR (If medicine contains two or more sugars) Contains sugars [or words to that effect].

WARNING: May be dangerous if taken in large amounts or for a long period. OR WARNING: Contains zinc which may be dangerous if taken in large amounts or for a long period (or words to that effect).

Phenylketonurics are warned that this product contains phenylalanine (or words to that effect).

Additional Product information

Container information

Type	Material	Life Time	Temperature	Closure	Conditions
Bottle	Not recorded	Not recorded	Not recorded	Neither child resistant closure nor restricted flow insert	Not recorded

Pack Size/Poison information

Pack Size	Poison Schedule

Components

1 . Formulation 1

Dosage Form Powder

Route of Administration Oral

Visual Identification

Active Ingredients

alanine	.74 mg/g
aspartic acid	2.96 mg/g
Biotin	.001 mg/g
borax	.06 mg/g
Equivalent: boron	.007 mg/g
calcium glycerophosphate	10.471 mg/g

Public Summary



Australian Government
Department of Health and Aged Care
Therapeutic Goods Administration

Equivalent: calcium	2 mg/g
calcium pantothenate	.095 mg/g
Equivalent: pantothenic acid	.087 mg/g
calcium phosphate	1.672 mg/g
Equivalent: calcium	.667 mg/g
choline bitartrate	2.157 mg/g
Equivalent: choline	.887 mg/g
chromium picolinate	.0028 mg/g
Equivalent: chromium	.35 microgram/g
colecalfiferol	0 mg/g
cupric sulfate pentahydrate	.018 mg/g
Equivalent: copper	.0045 mg/g
cyanocobalamin	.05 microgram/g
cysteine hydrochloride	5.59 mg/g
Equivalent: cysteine	3.707 mg/g
dl-alpha-tocopheryl acetate	.267 mg/g
ferrous fumarate	.122 mg/g
Equivalent: iron	.04 mg/g
folic acid	.8203 microgram/g
glucose	333.333 mg/g
glutamine	59.26 mg/g
glycine	.74 mg/g
histidine	4 mg/g
histidine hydrochloride	4.845 mg/g
isoleucine	12 mg/g
lecithin	6.667 mg/g
leucine	44.447 mg/g
levocarnitine tartrate	.293 mg/g
Equivalent: levocarnitine	.2 mg/g
levomefolate glucosamine	.0004 mg/g
Equivalent: levomefolic acid	.1335 microgram/g
lysine hydrochloride	12.034 mg/g
Equivalent: lysine	9.627 mg/g
magnesium citrate	4.444 mg/g
Equivalent: magnesium	.72 mg/g
magnesium glycerophosphate	1.336 mg/g
Equivalent: magnesium	.167 mg/g
manganese sulfate monohydrate	.0277 mg/g
Equivalent: manganese	.009 mg/g
methionine	3.2 mg/g
molybdenum trioxide	.0003 mg/g
Equivalent: molybdenum	.0002 mg/g
nicotinamide	.087 mg/g
phenylalanine	5.333 mg/g
phytomenadione	.0003 mg/g
potassium citrate	10.738 mg/g
Equivalent: potassium	3.887 mg/g
potassium iodide	.006 mg/g
Equivalent: iodine	.0005 mg/g
proline	2.96 mg/g
pyridoxine hydrochloride	.0207 mg/g



Australian Government
Department of Health and Aged Care
Therapeutic Goods Administration

retinol palmitate	.0123 mg/g
riboflavine	.013 mg/g
selenomethionine	.001 mg/g
Equivalent: selenium	.3076 microgram/g
serine	.74 mg/g
sodium ascorbate	.6 mg/g
Equivalent: ascorbic acid	.533 mg/g
taurine	.293 mg/g
thiamine nitrate	.0159 mg/g
threonine	5.333 mg/g
tyrosine	3 mg/g
valine	12 mg/g
zinc sulfate monohydrate	.151 mg/g
Equivalent: zinc	.055 mg/g

Other Ingredients (Excipients)

aluminium sodium silicate
aluminium starch octenylsuccinate
butylated hydroxytoluene
calcium hydrogen phosphate dihydrate
calcium hydrogen phosphate
calcium silicate
cocoa powder
colloidal anhydrous silica
dl-alpha-tocopherol
Flavour
Gelatin
maize starch
maltodextrin
medium chain triglycerides
microcrystalline cellulose
mono- and di- glycerides
potable water
purified water
rice starch
silicon dioxide
sodium ascorbate
sodium citrate dihydrate
starch sodium octenyl succinate
sucrose
tricalcium phosphate

Public Summary

© Commonwealth of Australia. This work is copyright. You are not permitted to re-transmit, distribute or commercialise the material without obtaining prior written approval from the Commonwealth. Further details can be found at <http://www.tga.gov.au/about/website-copyright.htm>.