



Australian Government
Department of Health
 Therapeutic Goods Administration

Public Summary

Summary for ARTG Entry:	219050	NUTRA-LIFE ESTER-C HIGH STRENGTH + BIOFLAVONOIDS
ARTG entry for	Medicine Listed	
Sponsor	Vitaco Health Australia Pty Ltd	
Postal Address	PO Box 399, NORTH RYDE BC, NSW, 1670 Australia	
ARTG Start Date	9/01/2014	
Product Category	Medicine	
Status	Active	
Approval Area	Listed Medicines	

Conditions

Colouring agents used in listed medicine for ingestion, other than those listed for export only under section 25 of the Act, shall be only those included in the list of 'Colourings permitted in medicines for oral use'.

The sponsor shall keep records relating to this listed medicine as are necessary to: (a) Expedite recall if necessary of any batch of the listed medicine, (b) Identify the manufacturer(s) of each batch of the listed medicine. Where any part of or step in manufacture in Australia of the listed medicine is sub-contracted to a third party who is not the sponsor, copies of relevant Good Manufacturing Practice agreements relation to such manufacture shall be kept.

The sponsor shall retain records of the distribution of the listed medicine for a period of five years and shall provide the records or copies of the records to the Complementary Medicines Branch, Therapeutic Goods Administration, upon request.

The sponsor of the listed medicine must not, by any means, intentionally or recklessly advertise the medicine for an indication other than those accepted in relation to the inclusion of the medicine in the Register.

All reports of adverse reactions or similar experiences associated with the use or administration of the listed medicine shall be notified to the Head, Office of Product Review, Therapeutic Goods Administration, as soon as practicable after the sponsor of the goods becomes aware of those reports. Sponsors of listed medicines must retain records of such reports for a period of not less than 18 months from the day the Head, Office of Product Review is notified of the report or reports.

The sponsor shall not supply the listed medicine after the expiry date of the goods.

Where a listed medicine is distributed overseas as well as in Australia, product recall or any other regulatory action taken in relation to the medicine outside Australia which has or may have relevance to the quality, safety or efficacy of the goods distributed in Australia, must be notified to the National Manager Therapeutic Goods Administration, immediately the action or information is known to the sponsor.

Products

1 . NUTRA-LIFE ESTER-C HIGH STRENGTH + BIOFLAVONOIDS

Product Type	Effective Date
Single Medicine Product	5/02/2020

Permitted Indications

- Antioxidant/Reduce free radicals formed in the body in children over 12 years of age
- Antioxidant/Reduce free radicals formed in the body
- Helps reduce/decrease free radical damage to body cells
- Helps reduce/decrease free radical damage to body cells in children over 12 years of age
- Maintain/support collagen formation
- Maintain/support collagen formation in children over 12 years of age
- Maintain/support general health and wellbeing
- Maintain/support general health and wellbeing in children over 12 years of age
- Maintain/support connective tissue health in children over 12 years of age
- Maintain/support connective tissue health
- Aid/assist/helps connective tissue production/formation in children over 12 years of age
- Aid/assist/helps connective tissue production/formation
- Maintain/support blood capillary health in children over 12 years of age
- Maintain/support blood capillary health
- Maintain/support blood vessel health in children over 12 years of age
- Maintain/support blood vessel health
- Maintain/support immune system health
- Maintain/support immune system health in children over 12 years of age
- Maintain/support healthy immune system function in children over 12 years of age

Public Summary



Australian Government
Department of Health
 Therapeutic Goods Administration

Maintain/support healthy immune system function
 Maintain/support absorption of dietary (state vitamin/mineral/nutrient) in children over 12 years of age
 Maintain/support absorption of dietary (state vitamin/mineral/nutrient)
 Helps prevent dietary (state vitamin/mineral/nutrient) deficiency
 Helps prevent dietary (state vitamin/mineral/nutrient) deficiency in children over 12 years of age
 Aid/assist/helps synthesis of neurotransmitters in children over 12 years of age
 Aid/assist/helps synthesis of neurotransmitters
 Maintain/support nervous system health in children over 12 years of age
 Maintain/support nervous system health
 Maintain/support nervous system function in children over 12 years of age
 Maintain/support nervous system function
 Decrease/reduce/relieve common cold duration
 Decrease/reduce/relieve common cold duration in children over 12 years of age
 Decrease/reduce/relieve the severity of common cold symptoms
 Decrease/reduce/relieve the severity of common cold symptoms in children over 12 years of age
 Maintain/support skin health
 Maintain/support skin health in children over 12 years of age
 Maintain/support wound healing in children over 12 years of age
 Maintain/support wound healing

Indication Requirements

Label statement: Adults only, OR Not to be used in children under 2 years of age without medical advice (or words to that effect).
 Label statement: If symptoms persist, talk to your health professional.

Product presentation must not imply or refer to circulatory disorders/diseases/conditions e.g. thrombosis.

Label statement: [Vitamins/minerals/nutrients/dietary supplements] can only be of assistance if dietary intake is inadequate OR [Vitamins/minerals/nutrients/dietary supplements] should not replace a balanced diet (or words to that effect).

Product presentation must not imply or refer to mental illnesses, disorders or conditions.

Product presentation must not imply or refer to serious immunological diseases.

Product presentation must not imply or refer to serious forms of respiratory disorders/diseases, such as: asthma, pneumonia, COAD, COPD, influenza.

Standard Indications

No Standard Indications included on Record

Specific Indications

No Specific Indications included on Record

Warnings

Vitamins can only be of assistance if the dietary vitamin intake is inadequate. OR Vitamin supplements should not replace a balanced diet.
 Adults only. OR Not to be used in children under two years of age without medical advice (or words to that effect).
 If symptoms persist consult your healthcare practitioner (or words to that effect).

Additional Product information

Pack Size/Poison information

Pack Size	Poison Schedule
------------------	------------------------

Components

1 . Formulation 1

Dosage Form	Tablet, film coated
Route of Administration	Oral

Visual Identification

Active Ingredients

calcium ascorbate dihydrate	1.465 g
Equivalent: ascorbic acid	1.15 g
calcium carbonate	16.8 mg
calcium L-threonate	18.45 mg



Australian Government

Department of Health
Therapeutic Goods Administration

Equivalent: calcium	2.435 mg
Citrus bioflavonoids extract	100 mg
Equivalent: hesperidin	35 mg

Other Ingredients (Excipients)

copovidone

crospovidone

Flavour

macrogol 4000

magnesium stearate

microcrystalline cellulose

polysorbate 80

polyvinyl alcohol

purified talc

silicon dioxide

© Commonwealth of Australia. This work is copyright. You are not permitted to re-transmit, distribute or commercialise the material without obtaining prior written approval from the Commonwealth. Further details can be found at <http://www.tga.gov.au/about/website-copyright.htm>.

Public Summary