



**Australian Government**  
**Department of Health**  
 Therapeutic Goods Administration

**Public Summary**

<b>Summary for ARTG Entry:</b>	315991	ArmaForce Day & Night
<b>ARTG entry for</b>	Medicine Listed	
<b>Sponsor</b>	FIT-BioCeuticals Limited	
<b>Postal Address</b>	Level 4 / 64 Kippax Street, Surry Hills, NSW, 2010 Australia	
<b>ARTG Start Date</b>	1/04/2019	
<b>Product Category</b>	Medicine	
<b>Status</b>	Active	
<b>Approval Area</b>	Listed Medicines	

**Conditions**

Colouring agents used in listed medicine for ingestion, other than those listed for export only under section 25 of the Act, shall be only those included in the list of 'Colourings permitted in medicines for oral use'.

The sponsor shall keep records relating to this listed medicine as are necessary to: (a) Expedite recall if necessary of any batch of the listed medicine, (b) Identify the manufacturer(s) of each batch of the listed medicine. Where any part of or step in manufacture in Australia of the listed medicine is sub-contracted to a third party who is not the sponsor, copies of relevant Good Manufacturing Practice agreements relation to such manufacture shall be kept.

The sponsor shall retain records of the distribution of the listed medicine for a period of five years and shall provide the records or copies of the records to the Complementary Medicines Branch, Therapeutic Goods Administration, upon request.

The sponsor of the listed medicine must not, by any means, intentionally or recklessly advertise the medicine for an indication other than those accepted in relation to the inclusion of the medicine in the Register.

The sponsor shall not supply the listed medicine after the expiry date of the goods.

Where a listed medicine is distributed overseas as well as in Australia, product recall or any other regulatory action taken in relation to the medicine outside Australia which has or may have relevance to the quality, safety or efficacy of the goods distributed in Australia, must be notified to the National Manager Therapeutic Goods Administration, immediately the action or information is known to the sponsor.

The warning statement - 'Andrographis may cause taste disturbance, including loss of taste' must be displayed on the medicine label. Any other gastrointestinal side effects listed on the label must not precede the warning related to taste disturbance and taste loss, but can be listed at the end of the required warning, or presented separately.

**Products**

**1 . ArmaForce Day & Night**

<b>Product Type</b>	Composite Pack	<b>Effective Date</b>	25/07/2020
---------------------	----------------	-----------------------	------------

**Permitted Indications**

- Antioxidant/Reduce free radicals formed in the body
- Relieve weariness/tiredness/fatigue/feeling of weakness
- Traditionally used in Western herbal medicine to analgesic/Anodyne/relieve pain at night time
- Maintain/support healthy immune system function at night time
- Traditionally used in Western herbal medicine to maintain/support healthy immune system function at night time
- Maintain/support healthy immune system function
- Traditionally used in Western herbal medicine to maintain/support immune system to fight illness at night time
- Decrease/reduce/relieve headache symptoms
- Traditionally used in Western herbal medicine to soporific/induces sleep at night time
- Traditionally used in Western herbal medicine to decrease/reduce/relieve sleeplessness at night time
- Decrease/reduce/relieve disturbed/restless sleep
- Traditionally used in Western herbal medicine to decrease/reduce/relieve symptoms of common colds and flu at night time
- Decrease/reduce/relieve symptoms of common colds and flu
- Traditionally used in Western herbal medicine to decrease/reduce/relieve the severity of symptoms of mild upper respiratory tract infections at night time
- Decrease/reduce/relieve the severity of symptoms of mild upper respiratory tract infections
- Traditionally used in Western herbal medicine to relieve symptoms of mild upper respiratory tract infections at night time
- Relieve symptoms of mild upper respiratory tract infections
- Decrease/reduce/relieve cough
- Relieve runny/dripping nose
- Relieve symptoms of sore throat/pharyngitis

Public Summary



**Australian Government**  
**Department of Health**  
 Therapeutic Goods Administration

**Indication Requirements**

Respiratory tract infections must be qualified by 'mild'.  
 Product presentation must not imply or refer to serious forms of respiratory disorders/diseases, such as: asthma, pneumonia, COAD, COPD, influenza.  
 Label statement: If symptoms persist, talk to your health professional.  
 Label statement: Adults only, OR Not to be used in children under 2 years of age without medical advice (or words to that effect).  
 Product presentation must not imply or refer to chronic fatigue syndrome.  
 Product presentation must not imply or refer to serious immunological diseases.

**Standard Indications**

No Standard Indications included on Record

**Specific Indications**

No Specific Indications included on Record

**Warnings**

Andrographis may cause allergic reactions in some people. If you have a severe reaction (such as anaphylaxis), stop use and seek immediate medical attention (or words to that effect).

**Additional Product information**

**Container information**

Type	Material	Life Time	Temperature	Closure	Conditions
Multiple containers	Not recorded	Not recorded	Not recorded	Not recorded	Not recorded

**Pack Size/Poison information**

Pack Size	Poison Schedule

**Components**

**1 . Formulation 1**

<b>Dosage Form</b>	Tablet, film coated
<b>Route of Administration</b>	Oral

**Visual Identification**

**Active Ingredients**

<b>Andrographis paniculata</b>	<b>178.58 mg</b>
<b>ascorbic acid</b>	<b>250 mg</b>
<b>Echinacea purpurea</b>	<b>125 mg</b>
Equivalent: Echinacea purpurea	750 mg
<b>Olea europaea</b>	<b>150 mg</b>
Equivalent: Olea europaea	750 mg
<b>zinc amino acid chelate</b>	<b>25 mg</b>
Equivalent: zinc	5 mg

**Other Ingredients (Excipients)**

calcium carbonate  
 calcium hydrogen phosphate dihydrate  
 Carnuba Wax  
 chlorophyllin-copper complex  
 colloidal anhydrous silica  
 croscarmellose sodium  
 hypromellose  
 macrogol 400  
 macrogol 8000  
 magnesium stearate  
 maltodextrin  
 microcrystalline cellulose  
 povidone



**Australian Government**  
**Department of Health**  
Therapeutic Goods Administration

purified talc

titanium dioxide

**2 . Formulation 2**

**Dosage Form**                      Tablet, film coated

**Route of Administration**      Oral

**Visual Identification**

**Active Ingredients**

<b>ascorbic acid</b>	<b>250 mg</b>
<b>Echinacea purpurea</b>	<b>125 mg</b>
Equivalent: Echinacea purpurea	750 mg
<b>Eschscholzia californica</b>	<b>187.5 mg</b>
Equivalent: Eschscholzia californica	750 mg
<b>Sambucus nigra</b>	<b>150 mg</b>
Equivalent: Sambucus nigra	4.8 g
<b>Sambucus nigra</b>	<b>83.33 mg</b>
Equivalent: Sambucus nigra	500 mg
<b>Scutellaria baicalensis</b>	<b>75 mg</b>
Equivalent: Scutellaria baicalensis	1.5 g

**Other Ingredients (Excipients)**

**Acacia**

calcium hydrogen phosphate dihydrate

chlorophyllin-copper complex

colloidal anhydrous silica

croscarmellose sodium

crospovidone

hypromellose

macrogol 400

magnesium stearate

maltodextrin

microcrystalline cellulose

povidone

silicon dioxide

© Commonwealth of Australia. This work is copyright. You are not permitted to re-transmit, distribute or commercialise the material without obtaining prior written approval from the Commonwealth. Further details can be found at <http://www.tga.gov.au/about/website-copyright.htm>.

Public Summary