



**Australian Government**  
**Department of Health**  
 Therapeutic Goods Administration

**Public Summary**

|                                |  |                           |
|--------------------------------|--|---------------------------|
| <b>Summary for ARTG Entry:</b> | 321824                                     | Manuka Honey Chesty Cough |
| <b>ARTG entry for</b>          | Medicine Listed                            |                           |
| <b>Sponsor</b>                 | Brauer Natural Medicine Pty Ltd            |                           |
| <b>Postal Address</b>          | PO Box 234, TANUNDA, SA, 5352<br>Australia |                           |
| <b>ARTG Start Date</b>         | 15/08/2019                                 |                           |
| <b>Product Category</b>        | Medicine                                   |                           |
| <b>Status</b>                  | Active                                     |                           |
| <b>Approval Area</b>           | Listed Medicines                           |                           |

**Conditions**

Colouring agents used in listed medicine for ingestion, other than those listed for export only under section 25 of the Act, shall be only those included in the list of 'Colourings permitted in medicines for oral use'.

The sponsor shall keep records relating to this listed medicine as are necessary to: (a) Expedite recall if necessary of any batch of the listed medicine, (b) Identify the manufacturer(s) of each batch of the listed medicine. Where any part of or step in manufacture in Australia of the listed medicine is sub-contracted to a third party who is not the sponsor, copies of relevant Good Manufacturing Practice agreements relation to such manufacture shall be kept.

The sponsor shall retain records of the distribution of the listed medicine for a period of five years and shall provide the records or copies of the records to the Complementary Medicines Branch, Therapeutic Goods Administration, upon request.

The sponsor of the listed medicine must not, by any means, intentionally or recklessly advertise the medicine for an indication other than those accepted in relation to the inclusion of the medicine in the Register.

The sponsor shall not supply the listed medicine after the expiry date of the goods.

Where a listed medicine is distributed overseas as well as in Australia, product recall or any other regulatory action taken in relation to the medicine outside Australia which has or may have relevance to the quality, safety or efficacy of the goods distributed in Australia, must be notified to the National Manager Therapeutic Goods Administration, immediately the action or information is known to the sponsor.

**Products**

**1 . Manuka Honey Chesty Cough**

|                     |                         |                       |           |
|---------------------|-------------------------|-----------------------|-----------|
| <b>Product Type</b> | Single Medicine Product | <b>Effective Date</b> | 8/04/2020 |
|---------------------|-------------------------|-----------------------|-----------|

**Permitted Indications**

- Antioxidant/Reduce free radicals formed in the body in children
- Helps reduce/decrease free radical damage to body cells in children
- Traditionally used in Homoeopathic medicine to relieve feelings of general malaise/general debility in children
- Traditionally used in Homoeopathic medicine to relieve weariness/tiredness/fatigue/feeling of weakness in children
- Maintain/support healthy eye function in children
- Maintain/support eye health in children
- Maintain/support healthy eyesight/vision in children
- Maintain/support healthy growth and development in children
- Maintain/support body mucous membrane health in children
- Maintain/support general health and wellbeing when sun exposure is inadequate in children
- Traditionally used in Western herbal medicine to maintain/support general health and wellbeing in children
- Traditionally used in Homoeopathic medicine to maintain/support general health and wellbeing in children
- Maintain/support general health and wellbeing in children
- Maintain/support hair health in children
- Aids/assists teeth development in children
- Maintain/support healthy teeth in children
- Maintain/support teeth mineralisation in children
- Maintain/support teeth strength in children
- Maintain/support nail health/strength/thickness in children
- Maintain/support bone health in children
- Aids/assists healthy bone development/growth/building in children
- Maintain/support bone strength in children
- Help maintain/support bone mineralisation in children

Public Summary



**Australian Government**  
**Department of Health**  
Therapeutic Goods Administration

Maintain/support immune system health in children  
Maintain/support healthy immune system function in children  
Maintain/support muscle function in children  
Maintain/support healthy neuromuscular system/function in children  
Aid/assist/helps protein synthesis in the body in children  
Maintain/support absorption of dietary (state vitamin/mineral/nutrient) in children  
Maintain/support (state vitamin/mineral/nutrient) levels in the body in children  
Helps prevent dietary (state vitamin/mineral/nutrient) deficiency in children  
Aid/assist/helps metabolism of (state vitamin/mineral/nutrient) in children  
Traditionally used in Homoeopathic medicine to decrease/reduce/relieve restlessness/excess nervous energy in children  
Maintain/support cognitive function/mental function in healthy children  
Maintain/support nerve conduction in children  
Maintain/support nervous system function in children  
Traditionally used in Homoeopathic medicine to decrease/reduce/relieve sleeplessness in children  
Traditionally used in Homoeopathic medicine to decrease/reduce/relieve disturbed/restless sleep in children  
Traditionally used in Homoeopathic medicine to decongestant/relieve nasal congestion in children  
Traditionally used in Homoeopathic medicine to decrease/reduce/relieve mild bronchial irritation in children  
Traditionally used in Homoeopathic medicine to decrease/reduce/relieve bronchial mucous congestion in children  
Traditionally used in Western herbal medicine to decrease/reduce/relieve bronchial mucous congestion in children  
Traditionally used in Homoeopathic medicine to soothe/calm the chest in children  
Traditionally used in Homoeopathic medicine to decrease/reduce excess chest phlegm in children  
Traditionally used in Western herbal medicine to decrease/reduce excess chest phlegm in children  
Traditionally used in Homoeopathic medicine to decrease/reduce/relieve symptoms of head cold in children  
Traditionally used in Homoeopathic medicine to loosen chest phlegm in children  
Traditionally used in Western herbal medicine to loosen chest phlegm in children  
Traditionally used in Homoeopathic medicine to decrease/reduce excess mucous in children  
Traditionally used in Western herbal medicine to decrease/reduce excess mucous in children  
Traditionally used in Homoeopathic medicine to decrease/reduce/relieve mild upper respiratory tract congestion in children  
Traditionally used in Western herbal medicine to decrease/reduce/relieve mild upper respiratory tract congestion in children  
Traditionally used in Homoeopathic medicine to expectorant/clear respiratory tract mucous in children  
Traditionally used in Western herbal medicine to expectorant/clear respiratory tract mucous in children  
Traditionally used in Western herbal medicine to loosen respiratory tract mucous in children  
Traditionally used in Homoeopathic medicine to decrease/reduce/relieve sneezing in children  
Traditionally used in Homoeopathic medicine to decrease/reduce/relieve mild bronchial cough in children  
Traditionally used in Western herbal medicine to decrease/reduce/relieve mild bronchial cough in children  
Traditionally used in Western herbal medicine to decrease/reduce/relieve cough in children  
Traditionally used in Homoeopathic medicine to decrease/reduce/relieve cough in children  
Traditionally used in Western herbal medicine to enhance/improve/promote/increase cough productivity in children  
Traditionally used in Homoeopathic medicine to soothe respiratory tract mucous membranes/mucous tissue in children  
Traditionally used in Homoeopathic medicine to relieve runny/dripping nose in children  
Traditionally used in Homoeopathic medicine to decrease/reduce/relieve throat irritation in children  
Traditionally used in Homoeopathic medicine to decrease/reduce/relieve symptoms of laryngitis in children  
Traditionally used in Homoeopathic medicine to decrease/reduce/relieve throat mucous membrane irritation/inflammation in children  
Traditionally used in Homoeopathic medicine to decrease/reduce/relieve throat mucous membrane irritation/inflammation in children  
Traditionally used in Homoeopathic medicine to relieve symptoms of sore throat/pharyngitis in children  
Maintain/support skin health in children  
Maintain/support skin integrity/structure in children  
Maintain/support skin regeneration in children  
Maintain/support wound healing in children

**Indication Requirements**

Product presentation must not imply or refer to mental illnesses, disorders or conditions.  
Product presentation must not imply or refer to serious forms of respiratory disorders/diseases, such as: asthma, pneumonia, COAD, COPD, influenza.  
Label statement: If symptoms persist, talk to your health professional.  
Product presentation must not imply or refer to chronic fatigue syndrome.



**Australian Government**  
**Department of Health**  
Therapeutic Goods Administration

Label statement: Adults only, OR Not to be used in children under 2 years of age without medical advice (or words to that effect).

Product presentation must only refer to mild bronchitis.

Product presentation must not imply or refer to vision correction, faults or serious eye disease e.g. macular degeneration.

Product presentation must not imply or refer to bone disease or disorders e.g. rheumatoid arthritis, juvenile arthritis, debilitating osteoarthritis, osteoporosis.  
Note: this requirement is not intended to apply where the indications referring to osteoporosis specified in column 2 of Table 2 of this instrument are also used.

Product presentation must not imply or refer to serious musculoskeletal or neurological conditions.

Label statement: [Vitamins/minerals/nutrients/dietary supplements] can only be of assistance if dietary intake is inadequate OR [Vitamins/minerals/nutrients/dietary supplements] should not replace a balanced diet (or words to that effect).

Product presentation must not imply or refer to serious immunological diseases.

Respiratory tract infections must be qualified by 'mild'.

If product is indicated for supplementation, Label statement: [Vitamins/minerals/nutrients/dietary supplements] can only be of assistance if dietary intake is inadequate OR [Vitamins/minerals/nutrients/dietary supplements] should not replace a balanced diet (or words to that effect).

**Standard Indications**

No Standard Indications included on Record

**Specific Indications**

No Specific Indications included on Record

**Warnings**

Contains hydroxybenzoates (or words to this effect) if the medicines contains more than one hydroxybenzoate source OR Contains (insert the approved name of hydroxybenzoate used)(or words to this effect) if product contains one hydroxybenzoate source.

(If medicine contains one sugar) contains [insert name of sugar] OR (If medicine contains two or more sugars) Contains sugars [or words to that effect].

Adults only. OR Not to be used in children under two years of age without medical advice (or words to that effect).

Contains homeopathic ingredients.

Not suitable for infants under the age of twelve months (or words to that effect).

**Additional Product information**

**Pack Size/Poison information**

**Pack Size** **Poison Schedule**

**Components**

**1 . Formulation 1**

**Dosage Form** Oral Liquid

**Route of Administration** Oral

**Visual Identification**

**Active Ingredients**

|   |                        |
|---|------------------------|
| <b>Anemone pulsatilla whole plant (Homeopathic)</b>         | <b>5 microlitre/mL</b> |
| <b>antimony potassium tartrate trihydrate (Homeopathic)</b> | <b>5 microlitre/mL</b> |
| <b>betacarotene</b>   | <b>.18 mg/mL</b>       |
| <b>colecalfiferol</b>                                       | <b>.0002 mg/mL</b>     |
| <b>Drosera rotundifolia MIS flower (Homeopathic)</b>        | <b>5 microlitre/mL</b> |
| <b>Hedera helix leaf Extract dry concentrate</b>            | <b>10.937 mg/mL</b>    |
| Equivalent: Hedera helix (Dry)                              | 43.75 mg/mL            |
| <b>Honey</b>  | <b>325 mg/mL</b>       |
| <b>Honey</b>  | <b>65 mg/mL</b>        |
| <b>marine sponge (Homeopathic)</b>                          | <b>5 microlitre/mL</b> |
| <b>phosphorus (Homeopathic)</b>                             | <b>5 microlitre/mL</b> |
| <b>zinc glycinate</b>                                       | <b>.71 mg/mL</b>       |
| Equivalent: zinc  | .2 mg/mL               |

**Other Ingredients (Excipients)**

**dl-alpha-tocopherol**

**ethanol**

**Flavour**

Public Summary



**Australian Government**

**Department of Health**  
Therapeutic Goods Administration

glycerol  
maize starch  
methyl hydroxybenzoate  
modified food starch  
propyl hydroxybenzoate  
purified water  
silicon dioxide  
vegetable oil  
xanthan gum

---

© Commonwealth of Australia. This work is copyright. You are not permitted to re-transmit, distribute or commercialise the material without obtaining prior written approval from the Commonwealth. Further details can be found at <http://www.tga.gov.au/about/website-copyright.htm>.

Public Summary