



Australian Government
Department of Health
Therapeutic Goods Administration

Public Summary

Summary for ARTG Entry:	351127	Allergy Oral Spray
ARTG entry for	Medicine Listed	
Sponsor	Brauer Natural Medicine Pty Ltd	
Postal Address	PO Box 234, TANUNDA, SA, 5352 Australia	
ARTG Start Date	8/12/2020	
Product Category	Medicine	
Status	Active	
Approval Area	Listed Medicines	

Conditions

Colouring agents used in listed medicine for ingestion, other than those listed for export only under section 25 of the Act, shall be only those included in the list of 'Colourings permitted in medicines for oral use'.

The sponsor shall keep records relating to this listed medicine as are necessary to: (a) Expedite recall if necessary of any batch of the listed medicine, (b) Identify the manufacturer(s) of each batch of the listed medicine. Where any part of or step in manufacture in Australia of the listed medicine is sub-contracted to a third party who is not the sponsor, copies of relevant Good Manufacturing Practice agreements relation to such manufacture shall be kept.

The sponsor shall retain records of the distribution of the listed medicine for a period of five years and shall provide the records or copies of the records to the Complementary Medicines Branch, Therapeutic Goods Administration, upon request.

Where a listed medicine is distributed overseas as well as in Australia, product recall or any other regulatory action taken in relation to the medicine outside Australia which has or may have relevance to the quality, safety or efficacy of the goods distributed in Australia, must be notified to the National Manager Therapeutic Goods Administration, immediately the action or information is known to the sponsor.

Products

1 . Allergy Oral Spray

Product Type	Single Medicine Product	Effective Date	29/07/2022
---------------------	-------------------------	-----------------------	------------

Permitted Indications

- Traditionally used in Homoeopathic medicine to relieve itchy eyes
- Traditionally used in Homoeopathic medicine to relieve eye redness
- Traditionally used in Homoeopathic medicine to decrease/reduce/relieve watery eyes/excessive lacrimation
- Traditionally used in Homoeopathic medicine to decrease/reduce/relieve diarrhoea
- Traditionally used in Homoeopathic medicine to decrease/reduce/relieve colic (wind/gas pain)
- Traditionally used in Homoeopathic medicine to decrease/reduce/relieve excess intestinal gas
- Traditionally used in Homoeopathic medicine to decrease/reduce/relieve flatulence/carminative
- Traditionally used in Homoeopathic medicine to decrease/reduce/relieve abdominal bloating/distention
- Traditionally used in Homoeopathic medicine to decrease/reduce/relieve abdominal cramping
- Traditionally used in Homoeopathic medicine to decrease/reduce/relieve abdominal feeling of fullness
- Traditionally used in Homoeopathic medicine to relieve excessive belching
- Traditionally used in Homoeopathic medicine to decrease/reduce/relieve symptoms of indigestion/dyspepsia
- Traditionally used in Homoeopathic medicine to helps decrease/reduce/relieve symptoms of food intolerance
- Traditionally used in Homoeopathic medicine to decrease/reduce/relieve symptoms of hayfever
- Traditionally used in Homoeopathic medicine to decrease/reduce/relieve symptoms of skin hives
- Traditionally used in Homoeopathic medicine to helps decrease/reduce/relieve symptoms of mild allergies
- Traditionally used in Homoeopathic medicine to decrease/reduce/relieve symptoms of allergic rhinitis
- Traditionally used in Homoeopathic medicine to helps decrease/reduce/relieve symptoms of seasonal allergies
- Traditionally used in Homoeopathic medicine to decrease/reduce/relieve headache symptoms
- Traditionally used in Homoeopathic medicine to decongestant/relieve nasal congestion
- Traditionally used in Homoeopathic medicine to decrease/reduce/relieve bronchial mucous congestion
- Traditionally used in Homoeopathic medicine to decrease/reduce excess chest phlegm
- Traditionally used in Homoeopathic medicine to decrease/reduce excess mucous
- Traditionally used in Homoeopathic medicine to decrease/reduce/relieve mild upper respiratory tract congestion
- Traditionally used in Homoeopathic medicine to decrease/reduce/relieve sneezing
- Traditionally used in Homoeopathic medicine to decrease/reduce/relieve mild bronchial cough
- Traditionally used in Homoeopathic medicine to decrease/reduce/relieve cough



Australian Government
Department of Health
Therapeutic Goods Administration

Traditionally used in Homoeopathic medicine to relieve dry unproductive cough
Traditionally used in Homoeopathic medicine to helps decrease/reduce/relieve nasal itching
Traditionally used in Homoeopathic medicine to relieve runny/dripping nose
Traditionally used in Homoeopathic medicine to relieve minor skin eruptions
Traditionally used in Homoeopathic medicine to decrease/reduce/relieve skin irritation
Traditionally used in Homoeopathic medicine to antipruritic/Relieves itchy skin
Traditionally used in Homoeopathic medicine to relieve red skin rash
Traditionally used in Homoeopathic medicine to relieve itchy eyes
Traditionally used in Homoeopathic medicine to relieve eye redness
Traditionally used in Homoeopathic medicine to decrease/reduce/relieve watery eyes/excessive lacrimation
Traditionally used in Homoeopathic medicine to decrease/reduce/relieve diarrhoea
Traditionally used in Homoeopathic medicine to decrease/reduce/relieve colic (wind/gas pain)
Traditionally used in Homoeopathic medicine to decrease/reduce/relieve excess intestinal gas
Traditionally used in Homoeopathic medicine to decrease/reduce/relieve flatulence/carminative
Traditionally used in Homoeopathic medicine to decrease/reduce/relieve abdominal bloating/distention
Traditionally used in Homoeopathic medicine to decrease/reduce/relieve abdominal cramping
Traditionally used in Homoeopathic medicine to decrease/reduce/relieve abdominal feeling of fullness
Traditionally used in Homoeopathic medicine to relieve excessive belching
Traditionally used in Homoeopathic medicine to decrease/reduce/relieve symptoms of indigestion/dyspepsia
Traditionally used in Homoeopathic medicine to helps decrease/reduce/relieve symptoms of food intolerance
Traditionally used in Homoeopathic medicine to decrease/reduce/relieve symptoms of hayfever
Traditionally used in Homoeopathic medicine to decrease/reduce/relieve symptoms of skin hives
Traditionally used in Homoeopathic medicine to helps decrease/reduce/relieve symptoms of mild allergies
Traditionally used in Homoeopathic medicine to decrease/reduce/relieve symptoms of allergic rhinitis
Traditionally used in Homoeopathic medicine to helps decrease/reduce/relieve symptoms of seasonal allergies
Traditionally used in Homoeopathic medicine to decrease/reduce/relieve headache symptoms
Traditionally used in Homoeopathic medicine to decongestant/relieve nasal congestion
Traditionally used in Homoeopathic medicine to decrease/reduce/relieve bronchial mucous congestion
Traditionally used in Homoeopathic medicine to decrease/reduce excess chest phlegm
Traditionally used in Homoeopathic medicine to decrease/reduce excess mucous
Traditionally used in Homoeopathic medicine to decrease/reduce/relieve mild upper respiratory tract congestion
Traditionally used in Homoeopathic medicine to decrease/reduce/relieve sneezing
Traditionally used in Homoeopathic medicine to decrease/reduce/relieve mild bronchial cough
Traditionally used in Homoeopathic medicine to decrease/reduce/relieve cough
Traditionally used in Homoeopathic medicine to relieve dry unproductive cough
Traditionally used in Homoeopathic medicine to helps decrease/reduce/relieve nasal itching
Traditionally used in Homoeopathic medicine to relieve runny/dripping nose
Traditionally used in Homoeopathic medicine to relieve minor skin eruptions
Traditionally used in Homoeopathic medicine to decrease/reduce/relieve skin irritation
Traditionally used in Homoeopathic medicine to antipruritic/Relieves itchy skin
Traditionally used in Homoeopathic medicine to relieve red skin rash

Indication Requirements

Label statement: If symptoms persist, talk to your health professional.
Product presentation must not imply or refer to gastro oesophageal reflux disease.
Label statement: Adults only, OR Not to be used in children under 2 years of age without medical advice (or words to that effect).
Product presentation must not imply or refer to serious forms of respiratory disorders/diseases, such as: asthma, pneumonia, COAD, COPD, influenza.
Product presentation must not imply or refer to serious allergic conditions such as anaphylaxis.
Respiratory tract infections must be qualified by 'mild'.
Product presentation must only refer to mild bronchitis.
Label statement: Seek medical advice if diarrhoea persists for more than: 6 hours in infants under 6 months, 12 hours in children under 3 years, 24 hours in children aged 3 to 6 years or 48 hours in adults and children over 6 years (or words to that effect).

Standard Indications

No Standard Indications included on Record

Specific Indications



Australian Government
Department of Health
 Therapeutic Goods Administration

No Specific Indications included on Record

Warnings

Homoeopathic product/preparation or medicine (or words to that effect)

Additional Product information

Pack Size/Poison information

Pack Size **Poison Schedule**

Components

1 . Formulation 1

Dosage Form Spray, solution

Route of Administration Sublingual

Visual Identification

Active Ingredients

Anemone pulsatilla whole plant (Homeopathic)	90.909 microlitre/mL
Equivalent: Anemone pulsatilla	.0091 picogram/mL
antimony potassium tartrate trihydrate (Homeopathic)	90.909 microlitre/mL
Bryonia alba root (Homeopathic)	90.909 microlitre/mL
Equivalent: Bryonia alba	.0091 picogram/mL
histamine dihydrochloride (Homeopathic)	90.909 microlitre/mL
Matricaria chamomilla whole plant (Homeopathic)	90.909 microlitre/mL
Equivalent: Matricaria chamomilla	.0091 picogram/mL
Oyster shell (Homeopathic)	90.909 microlitre/mL
silver nitrate (Homeopathic)	90.909 microlitre/mL
sodium chloride (Homeopathic)	90.909 microlitre/mL
Strychnos nux-vomica seed (Homeopathic)	90.909 microlitre/mL
Equivalent: Strychnos nux-vomica	.0091 picogram/mL
Equivalent: strychnine (of Strychnos spp.)	.0002 picogram/mL
Toxicodendron pubescens twig leafy young (Homeopathic)	90.909 microlitre/mL
Equivalent: Toxicodendron pubescens	.0091 picogram/mL
Urtica urens whole plant (Homeopathic)	90.909 microlitre/mL
Equivalent: Urtica urens	.0091 picogram/mL

2 . Allergy Oral Spray

Product Type Single Medicine Product **Effective Date** 29/07/2022

Permitted Indications

- Traditionally used in Homoeopathic medicine to relieve itchy eyes
- Traditionally used in Homoeopathic medicine to relieve eye redness
- Traditionally used in Homoeopathic medicine to decrease/reduce/relieve watery eyes/excessive lacrimation
- Traditionally used in Homoeopathic medicine to decrease/reduce/relieve diarrhoea
- Traditionally used in Homoeopathic medicine to decrease/reduce/relieve colic (wind/gas pain)
- Traditionally used in Homoeopathic medicine to decrease/reduce/relieve excess intestinal gas
- Traditionally used in Homoeopathic medicine to decrease/reduce/relieve flatulence/carminative
- Traditionally used in Homoeopathic medicine to decrease/reduce/relieve abdominal bloating/distention
- Traditionally used in Homoeopathic medicine to decrease/reduce/relieve abdominal cramping
- Traditionally used in Homoeopathic medicine to decrease/reduce/relieve abdominal feeling of fullness
- Traditionally used in Homoeopathic medicine to relieve excessive belching
- Traditionally used in Homoeopathic medicine to decrease/reduce/relieve symptoms of indigestion/dyspepsia
- Traditionally used in Homoeopathic medicine to helps decrease/reduce/relieve symptoms of food intolerance
- Traditionally used in Homoeopathic medicine to decrease/reduce/relieve symptoms of hayfever



Australian Government
Department of Health
Therapeutic Goods Administration

Traditionally used in Homoeopathic medicine to decrease/reduce/relieve symptoms of skin hives
Traditionally used in Homoeopathic medicine to helps decrease/reduce/relieve symptoms of mild allergies
Traditionally used in Homoeopathic medicine to decrease/reduce/relieve symptoms of allergic rhinitis
Traditionally used in Homoeopathic medicine to helps decrease/reduce/relieve symptoms of seasonal allergies
Traditionally used in Homoeopathic medicine to decrease/reduce/relieve headache symptoms
Traditionally used in Homoeopathic medicine to decongestant/relieve nasal congestion
Traditionally used in Homoeopathic medicine to decrease/reduce/relieve bronchial mucous congestion
Traditionally used in Homoeopathic medicine to decrease/reduce excess chest phlegm
Traditionally used in Homoeopathic medicine to decrease/reduce excess mucous
Traditionally used in Homoeopathic medicine to decrease/reduce/relieve mild upper respiratory tract congestion
Traditionally used in Homoeopathic medicine to decrease/reduce/relieve sneezing
Traditionally used in Homoeopathic medicine to decrease/reduce/relieve mild bronchial cough
Traditionally used in Homoeopathic medicine to decrease/reduce/relieve cough
Traditionally used in Homoeopathic medicine to relieve dry unproductive cough
Traditionally used in Homoeopathic medicine to helps decrease/reduce/relieve nasal itching
Traditionally used in Homoeopathic medicine to relieve runny/dripping nose
Traditionally used in Homoeopathic medicine to relieve minor skin eruptions
Traditionally used in Homoeopathic medicine to decrease/reduce/relieve skin irritation
Traditionally used in Homoeopathic medicine to antipruritic/Relieves itchy skin
Traditionally used in Homoeopathic medicine to relieve red skin rash
Traditionally used in Homoeopathic medicine to relieve itchy eyes
Traditionally used in Homoeopathic medicine to relieve eye redness
Traditionally used in Homoeopathic medicine to decrease/reduce/relieve watery eyes/excessive lacrimation
Traditionally used in Homoeopathic medicine to decrease/reduce/relieve diarrhoea
Traditionally used in Homoeopathic medicine to decrease/reduce/relieve colic (wind/gas pain)
Traditionally used in Homoeopathic medicine to decrease/reduce/relieve excess intestinal gas
Traditionally used in Homoeopathic medicine to decrease/reduce/relieve flatulence/carminative
Traditionally used in Homoeopathic medicine to decrease/reduce/relieve abdominal bloating/distention
Traditionally used in Homoeopathic medicine to decrease/reduce/relieve abdominal cramping
Traditionally used in Homoeopathic medicine to decrease/reduce/relieve abdominal feeling of fullness
Traditionally used in Homoeopathic medicine to relieve excessive belching
Traditionally used in Homoeopathic medicine to decrease/reduce/relieve symptoms of indigestion/dyspepsia
Traditionally used in Homoeopathic medicine to helps decrease/reduce/relieve symptoms of food intolerance
Traditionally used in Homoeopathic medicine to decrease/reduce/relieve symptoms of hayfever
Traditionally used in Homoeopathic medicine to decrease/reduce/relieve symptoms of skin hives
Traditionally used in Homoeopathic medicine to helps decrease/reduce/relieve symptoms of mild allergies
Traditionally used in Homoeopathic medicine to decrease/reduce/relieve symptoms of allergic rhinitis
Traditionally used in Homoeopathic medicine to helps decrease/reduce/relieve symptoms of seasonal allergies
Traditionally used in Homoeopathic medicine to decrease/reduce/relieve headache symptoms
Traditionally used in Homoeopathic medicine to decongestant/relieve nasal congestion
Traditionally used in Homoeopathic medicine to decrease/reduce/relieve bronchial mucous congestion
Traditionally used in Homoeopathic medicine to decrease/reduce excess chest phlegm
Traditionally used in Homoeopathic medicine to decrease/reduce excess mucous
Traditionally used in Homoeopathic medicine to decrease/reduce/relieve mild upper respiratory tract congestion
Traditionally used in Homoeopathic medicine to decrease/reduce/relieve sneezing
Traditionally used in Homoeopathic medicine to decrease/reduce/relieve mild bronchial cough
Traditionally used in Homoeopathic medicine to decrease/reduce/relieve cough
Traditionally used in Homoeopathic medicine to relieve dry unproductive cough
Traditionally used in Homoeopathic medicine to helps decrease/reduce/relieve nasal itching
Traditionally used in Homoeopathic medicine to relieve runny/dripping nose
Traditionally used in Homoeopathic medicine to relieve minor skin eruptions
Traditionally used in Homoeopathic medicine to decrease/reduce/relieve skin irritation
Traditionally used in Homoeopathic medicine to antipruritic/Relieves itchy skin
Traditionally used in Homoeopathic medicine to relieve red skin rash

Public Summary



Australian Government
Department of Health
 Therapeutic Goods Administration

Indication Requirements

Label statement: If symptoms persist, talk to your health professional.
 Product presentation must not imply or refer to serious allergic conditions such as anaphylaxis.
 Product presentation must not imply or refer to serious forms of respiratory disorders/diseases, such as: asthma, pneumonia, COAD, COPD, influenza.
 Label statement: Adults only, OR Not to be used in children under 2 years of age without medical advice (or words to that effect).
 Respiratory tract infections must be qualified by 'mild'.
 Product presentation must not imply or refer to gastro oesophageal reflux disease.
 Product presentation must only refer to mild bronchitis.
 Label statement: Seek medical advice if diarrhoea persists for more than: 6 hours in infants under 6 months, 12 hours in children under 3 years, 24 hours in children aged 3 to 6 years or 48 hours in adults and children over 6 years (or words to that effect).

Standard Indications

No Standard Indications included on Record

Specific Indications

No Specific Indications included on Record

Warnings

Homeopathic product/preparation or medicine (or words to that effect)

Additional Product information

Pack Size/Poison information

Pack Size	Poison Schedule
------------------	------------------------

Components

1 . Formulation 1

Dosage Form	Spray, solution
Route of Administration	Sublingual

Visual Identification

Active Ingredients

Anemone pulsatilla whole plant (Homeopathic)	90.909 microlitre/mL
Equivalent: Anemone pulsatilla	.0091 picogram/mL
antimony potassium tartrate trihydrate (Homeopathic)	90.909 microlitre/mL
Bryonia alba root (Homeopathic)	90.909 microlitre/mL
Equivalent: Bryonia alba	.0091 picogram/mL
histamine dihydrochloride (Homeopathic)	90.909 microlitre/mL
Matricaria chamomilla whole plant (Homeopathic)	90.909 microlitre/mL
Equivalent: Matricaria chamomilla	.0091 picogram/mL
Oyster shell (Homeopathic)	90.909 microlitre/mL
silver nitrate (Homeopathic)	90.909 microlitre/mL
sodium chloride (Homeopathic)	90.909 microlitre/mL
Strychnos nux-vomica seed (Homeopathic)	90.909 microlitre/mL
Equivalent: Strychnos nux-vomica	.0091 picogram/mL
Equivalent: strychnine (of Strychnos spp.)	.0002 picogram/mL
Toxicodendron pubescens twig leafy young (Homeopathic)	90.909 microlitre/mL
Equivalent: Toxicodendron pubescens	.0091 picogram/mL
Urtica urens whole plant (Homeopathic)	90.909 microlitre/mL
Equivalent: Urtica urens	.0091 picogram/mL

© Commonwealth of Australia. This work is copyright. You are not permitted to re-transmit, distribute or commercialise the material without obtaining prior written approval from the Commonwealth. Further details can be found at <http://www.tga.gov.au/about/website-copyright.htm>.